

# Prilog 6

---

**Broz, Marko**

## Supplement / Prilog

Publication year / Godina izdavanja: **2016**

Permanent link / Trajna poveznica: <https://urn.nsk.hr/urn:nbn:hr:128:720783>

Rights / Prava: [In copyright](#) / [Zaštićeno autorskim pravom.](#)

Download date / Datum preuzimanja: **2024-09-01**



**VELEUČILIŠTE U KARLOVCU**  
Karlovac University of Applied Sciences

Repository / Repozitorij:

[Repository of Karlovac University of Applied  
Sciences - Institutional Repository](#)

0

Contract No.: 400096	Object:	Type: S6866-56	Serial No. 24979
----------------------	---------	----------------	------------------

Area of segment: A = 1294,0 cm<sup>2</sup>

No. of segments	$\alpha U$	$c_u$	U (V)	$\alpha l$	$c_i$	I (A)	R (k $\Omega$ )	$R_A$ (k $\Omega$ cm <sup>2</sup> )	Note
40			4,00			0,00			Date:12.12.2015.
2			1,20			0,00			10 000 laminations
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
40			4,00			0,00			Date:13.12.2015.
2			1,20			0,00			20 000 laminations
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
40			4,00			0,00			18.12.2015.
2			1,20			0,00			30 000 laminations
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			

### REMARKS

Measurements have been carried out after insulating of segments.

Measured by:	Date:	Inspected by:	Date:	Approved by:	Date:
					21.12.2015.

**CHECK OF INSULATION OF STATOR CORE'S LAMINATIONS**

Contract No.: 400096	Object:	Type: S6866-56	Serial No.: 24979
----------------------	---------	----------------	-------------------

Area of segment: A = 1294,0 cm<sup>2</sup>

No. of segments	$\alpha U$	$c_u$	U (V)	$\alpha I$	$c_i$	I (A)	R (k $\Omega$ )	R <sub>A</sub> (k $\Omega$ cm <sup>2</sup> )	Note
40			4,00			0,00			Date:21.08.2015.
2			1,20			0,00			40 000 laminations
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			
2			1,20			0,00			

**HRVATSKI**  
 KONTROLA IZOLACIJE LIMOVA STATORSKOG PAKETA  
 Površina segmenta:  
 Broj limova  
 Primjedba  
**NAPOMENE**  
 Mjerenja su provedena nakon izoliranja segmenta lima  
 Kriteriji prihvatljivosti i opseg kontrole definirani su KIP-om

**ENGLESKI**  
 CHECK OF INSULATION OF STATOR CORE'S LAMINATIONS  
 Area of segment:  
 No. of segments  
 Note  
**REMARKS**  
 Measurements have been carried out after insulating of segments.  
 Acceptance criteria and scope of control are determined with factory standard

**REMARKS**  
 Measurements have been carried out after insulating of segments.

Measured by:	Date:	Inspected by:	Date:	Approved by:	Date: 21.12.2015
--------------	-------	---------------	-------	--------------	---------------------